

Contents lists available at <u>http://www.albertscience.com</u>

ASIO Journal of Microbiology, Food Science & Biotechnological Innovations (ASIO-JMFSBI)

Volume 4, Issue 1, 2019, 01-10

CHEMICAL RESIDUES IN FOOD GRAINS: THE BURNING HEALTH ISSUES IN ASIAN COUNTRIES A.K. Mohiuddin

Department of Pharmacy, World University of Bangladesh, Dhanmondi, Dhaka – 1205, Bangladesh

Department of Biological Science, Faculty of Science, Niger Delta University, Wilberforce Island, Bayelsa State, Nigeria

ARTICLE INFO

Review Article History

Received: 17 September, 2019 Accepted: 30 September, 2019

Corresponding Author: † A.K. Mohiuddin

E-mail: **trymohi@gmail.com**, Contact: +8801711885101

† Department of Pharmacy, World University of Bangladesh 151/8, Green Road, Dhanmondi, Dhaka – 1205, Bangladesh Orcid Id: https://orcid.org/0000-0003-1596-9757 Web of Science Researcher ID: T-5428-2019

ABSTRACT

Food security is a high-priority issue for sustainable global development both quantitatively and qualitatively. Once pesticides are applied, residues may be found in soil, on plant, on harvested product, on application equipment, in water and irrigation canals, in pesticide storage area, on cloth of applicant. Short term poisoning effects like nausea, vomiting, headache, chest pain, eye, skin and throat irritation etc. and potential long-term health effect like allergies, cancer, nervous system damage, birth defects, reproductive problem have been reported in recent decades, adverse effects of unexpected contaminants on crop quality have threatened both food security and human health. Heavy metals, metalloids (e.g., Hg, As, Pb, Cd, and Cr) from pesticides and fertilizers can jeopardize human metabolomics, contributing to morbidity and even mortality. Those during crop production include soil nutrient depletion, water depletion, soil and water contamination, and pest resistance/outbreaks and the emergence of new pests and diseases.

Keywords: Pesticides; cancer; organochlorine insecticides; heavy metal poisoning; fertilizers; food-processing operations.

© www.albertscience.com, All Right Reserved.




Figure 1: Asian Continent with subregions (Source: Wikipedia)

Purpose of the study: Discussion and projection of practical issues of chemical contamination in food products of Asian countries (**Figure 1**) obtained from agriculture source.

Findings: Developed or under developed country, aberrant use of chemical fertilizers and pesticides have been reported with their possible health effect to both farmers and end users. It would be very difficult to introduce newer safe and effective alternatives to root level but it's a crying necessity for sure.

Practical Implication: Along with agricultural researchers, policy makers, public representatives, and regulatory authorities have to acquire much from this article.

INTRODUCTION

Pesticides are possibly toxic to humans and can have both acute and chronic health impacts, contingent upon the quantity and manners by which an individual is uncovered. They assume a critical job in food production, ensure or increment yields and the times each year a crop can be developed on a similar land. This is especially significant in nations that face food deficiencies. A significant number of the more seasoned, less expensive (off-patent) pesticides, for example, DDT and lindane, can stay for quite a long time in soil and water. These chemicals have been banned by nations who marked the 2001 Stockholm Convention [1]. As they are intrinsically toxic and deliberately spread in the environment, the production, dispersion, and utilization of pesticides require severe regulation and control. Standard checking of buildups in food and the environment is likewise required.

METHODOLOGY

The research is conducted through secondary data search from several sources from books, technical newsletters, newspapers, journals, and many other sources. The present study was started from the beginning of 2018. PubMed, ALTAVISTA, Embase, Scopus, Web of Science, and the Cochrane Central Register of were thoroughly searched. The keywords were used to search for different publishers' journals like Elsevier, Springer, Willey Online Library, Wolters Kluwer were extensively followed.

RESULTS AND DISCUSSION

Growth in global population means that farmers must produce food for an estimated 9.1 billion people expected to inhabit the earth by 2050 [2]. Humans cultivate only about 150 of an estimated 50,000 edible plant species worldwide, with only 30 plant species comprising the vast majority of our diets. Just three of these (rice, maize and wheat) provide about 60% of the world's food energy intake [3,4]. These plants are susceptible to 80,000 to 100,000 diseases caused by everything from viruses to bacteria, fungi, algae, and even other higher plants [5].Again, Food plants have to compete with some 30,000 different species of weeds worldwide, of which at least 1800 species are capable of causing serious economic losses [6]. Globally, around 20-30% of agricultural produce is lost annually due to insect pests, diseases, weeds and rodents, viz, growth, harvest, and storage [2, 7]. According to

World Bank, South Asian countries are home to home to 33% of the world's poor and economies have among the highest levels of public debt in the world [8]. Mean consumption of whole grains 38.4 g/day in between 1990 to 2010. Southeast Asian nations along with 2/3 Sub-Saharan African regions had the highest intakes. Overall, 23 of 187 countries had mean whole grain intake ≥ 2.5 (50 g) servings/day, representing 335 million adults and 7.6% of the world adult population [9]. Southeast Asia is a region that produces high amounts of key food commodities and includes areas of divergent socio-economic status. The major grain crops produced in the region are rice and maize [10]. The potential sources for the contamination of grains are mostly environmentally based and include air, dust, soil, water, insects, rodents, birds, animals, microbes, humans, storage and shipping containers, handling and processing equipment [11]. The rates of destruction often are higher in less developed nations and they are now accounting for a quarter of the world's pesticide use [6], [12]. Therefore, judicious use of pesticides plays a major role in plant protection. Today's more than 10,400 pesticides are approved worldwide. It has been reported that the consumption of pesticides accounts two million tons every year worldwide [13]. Interestingly, many pesticides still widely used in the USA, at the level of tens to hundreds of millions of pounds annually, have been banned or are being phased out in the EU. China and Brazil [14]. Pesticide residues reported in fruits. vegetables and grains of India [15], Nepal [16], Bangladesh [17], China [18] and Indonesia [19]. habitually apply Farmers fertilizers and hazardous insecticides in high quantities without assessing the actual field requirements due to inadequate knowledge [2], [10]. Since pesticides are directly applied on crops, fruits, and vegetables in most agricultural applications, infants, children, and adults can be exposed to pesticides by the ingestion of those pesticidecontaminated foods [21-24]. Pesticides can exist in residential air by the evaporation of volatile semi-volatile pesticides. such and as organochlorine pesticides, from crops and residential surface soil [25-28]. Soil is an important source for heavy metals (like mercury/cadmium) in crops and vegetables since the plants' roots can absorb these \mathbf{N} pollutants from soil, and transfer them to seeds [29, 30]. According Retamal-Salgado et.al, 2017

cadmium (Cd) distribution in the different plant organs, more than 40% of Cd is absorbed and translocated to the aerial part of the plant (grain and straw), and it could be directly (grains) or indirectly (animals) ingested and negatively affect humans [31]. It accumulates in the liver and kidneys for more than 30 years and causes health problems. Toxicity of this metal involves kidney and skeletal organs and is largely the result of interactions between Cd and essential metals, such as calcium [32-36]. China feeds 22% of the world population with 7% of the world's arable land. Sodango et.al, 2018 reported that 20 million hectares (approximately 16.1%) of the total arable land in China is highly polluted with heavy metals, according to Ministry of Environmental Protection (MEP), China [37]. It is estimated that between 900,000 and 1,360,000 kg arsenic per year was introduced into Bangladesh soil through contaminated groundwater used for irrigation [38]. The use of sewage sludge for agricultural purposes can be limited by the potential content of heavy metals and toxic organic compounds that pose a threat to the environment (See dietary limit of heavy metals in Table 1) [39]. Pajewska-Szmyt et.al, 2019 reported that maternal exposure to heavy metals as Pb or Hg and persistent organic pollutants were associated with children neurodevelopment delay and also indirectly affect reproductive, respiratory, and endocrine system [40]. The use of pesticides has helped to increase rice vields but has also led to an increased pollution that presents a potential toxicity threat to the environment and public health [41]. Combined with outdated waste management technologies, there are potential health risks to farmers through occupational management practices, along with waste consumers through consumption of wastecontaminated products [42]. The WHO has estimated that more than three million farmers in developing countries are poisoned by agrochemicals each year [43]. In another study, WHO) and UN Environmental Program estimated that one to five million cases of pesticide poisoning occur among agricultural workers each year with about 20000 fatalities [44]. Skin injury, injury, headache. eye stomachache, and fever reported in cotton workers in southern Pakistan due to pesticide exposure [45]. Pesticide induced occupational hazards has been reported to many other similar studies in Nepal [46], China [47-49], India [50-

52], Bangladesh [53], Sri Lanka [54], Myanmar [55] and Philippines [56]. The US Centre for Disease Control and Prevention confirmed more than 11,000 foodborne infections in the year 2013, with several agents like viruses, bacteria, toxins, parasites, metals, and other chemicals causing food contamination [57]. Widespread agricultural use of pesticides and home storage make them easily available for acts of self-harm rural households. Stability in manv of organophosphorus pesticides is also important issue [58]. It was found that malathion was more unstable than dichlorvos and diazinon, there was an over 70% loss in 90 days even at -20 °C in coarsely chopped form [59]. It could be another reason for haphazard use of pesticides in the field and stored food commodities [60]. Around 600 million food borne illnesses and 420,000 deaths occur each year due to poor food handling practice. Such contaminants get access to contaminate food mainly due to food handler's poor knowledge and negligence during handling activities [61, 62]. Hassan et.al, 2017 says increased prevalence of diabetes in South Asia may be related to the consumption of arsenic contaminated rice depending on its content in the rice and daily amount consumed [63]. Sabir et.al, 2019 demonstrated that arsenide can bind covalently with sulfhydryl groups in insulin molecules and receptors, enzymes such as and alpha dehydrogenase pyruvate ketodehydrogenase, glutarate and glucose transporters (GLU-T), which may result in insulin resistance [64]. According to Kumar et.al, 2017 50%-60% cereal grains can be lost during the storage stage due only to the lack of technical inefficiency. Use of scientific storage methods can reduce these losses to as low as 1%-2% [65]. Factors like increasing climatic variability, weather extreme events. and rising temperatures pose new challenges for ensuring food and nutrition security in Asian region. The South Asian region is one of the least integrated regions according to Washington based-IFPRI [66]. Agriculturally beneficial microorganisms may also contribute directly (i.e., biological N₂ fixation, P solubilization, and phytohormone production, etc.) or indirectly (i.e., antimicrobial compounds biosynthesis and elicitation of induced systemic resistance, etc.) to crop improvement and fertilizers efficiency [67]. Overuse of chemical fertilizers and pesticides ∞ have effects on the soil organisms that are similar to human overuse of antibiotics.

Indiscriminate use of chemicals might work for a few years, but after a while, there aren't enough beneficial soil organisms to hold onto the nutrients [68]. Also, resistance to certain pesticides against brown planthopper (BPH), Nilaparvataluaens. and the white-backed planthoppers (WBPH), Sogatellafurcifera reported in Asian countries has been reported [1], [69-72]. Also, the higher exposure of crop plants to heavy metal stress reduces growth and and affects the sustainability vield. of agricultural production [73]. Cadmium (Cd) is a well-known metal imposing threats to human health, and it can be accumulated in polished rice over the permitted range of 0.2 mg kg-1 [74]. It leads to reduction in the plant productivities as well by inhibiting their growth, photosynthesis, pigments, nutrient uptake, germination, electron transport Applications of chain [75]. phosphorus-based fertilizers improve the soil fertility and agriculture yield but at the same time concerns over a number of factors that lead to environmental damage need to be addressed properly [76]. Easy availability of pesticides has another interesting but pathetic outcome. Approximately 110,000 pesticide self-poisoning deaths are found each year from 2010 to 2014, comprising some 14% of all global suicides [77]. According to Serrano-Medinaet.al, 2019 higher rates of suicide committed in areas with intensive use of pesticides compared to areas with less use of pesticides [78]. In Bangladesh, self-poisoning by pesticide is responsible for about 40% of poisoning cases admitted to hospital and 8-10% of overall mortality in medical wards [79]. At the Philippine, General Hospital in Metro Manila, Philippines (2000-2001), recorded pesticide poisoning cases showed that more than 80% were intentional in nature [80]. Public concern about the adverse environmental and human health impacts of organochlorine contaminants led to strict regulations on their use in developed nations since 1940 [81]. Nevertheless, DDT and several other organochlorine insecticides are still being used for agriculture and public health programs in developing countries in Asia and the South Pacific [82-86]. As a consequence, humans in this region are exposed to greater dietary levels of organochlorines.

Table 1. The recommended daily dietary limit of heavy metals [87]				
Metal	Mean concentration (mg/kg -wet wt.)	Recommended daily dietary allowance (mg/day /person)	Target Hazard Quotient (THQ)	Carcinogenic risk (CR)
Pb	0.593	0.21	0.1223	4.2E-06
Cd	0.017	0.06	0.0140	
Cr	0.193	0.20	0.0001	
As	0.332	0.13	0.9130	2.7E-04
Hg	0.050	0.03	0.0825	

RECOMMENDATIONS

Around 600 million food borne illnesses and 420,000 deaths occur each year due to poor food handling practice. Such contaminants get access to contaminate food mainly due to food handler's poor knowledge and negligence during handling activities [88, 89]. Accordingly, alternative methods for exposure and risk assessment have to be developed, which vary from the use of expert opinion and pre-marketing models to the use of combination of data from the literature, measurements, and expert opinion [90]. Many there overcome studies are to fertilizer/pesticide induced health effects.

Rastogi et.al, 2019 reported use of silicone nanoparticles can provide green and eco-friendly

alternatives to various chemical fertilizers without harming nature [91]. It has been reported that selenium (Se) application decreases Cd uptake [75]. In similar studies, selenium, copper, zinc oxide and many other metallic nanoparticles [92-98] have been studied in food processing, packaging and preservation against phytopathogens and rodents. The washing with water or soaking in solutions of salt and some chemicals e.g. chlorine, chlorine dioxide, hydrogen peroxide, ozone, acetic acid, hydroxy peracetic acid, iprodione and detergents are reported to be highly effective in reducing the level of pesticides [99]. Various foodprocessing operations include sorting, trimming, cleaning, cooking, baking, frying, roasting, flaking, and extrusion that have variable effects on mycotoxins [100]. Cooking rice in excess water efficiently reduces the amount of arsenic (As) in the cooked grain [101].

Acknowledgement

I'm thankful to Dr. Zahra Hadian, Department of Food Science and Technology, National Nutrition and Food Technology Research Institute, Shahid Beheshti University of Medical Sciences, Tehran, Iranfor her precious time to review my literature and for her thoughtful suggestions. I'm also grateful to seminar library of Faculty of Pharmacy, University of Dhaka and BANSDOC Library, Bangladesh for providing me books, journal and newsletters.

Abbreviations

Ministry of Environmental Protection (MEP); Dichloro-diphenyl-trichloroethane (DDT); Brown Planthopper (BPH); White-Backed Planthoppers (WBPH); International Food Policy Research Institute (IFPRI); Glucose Transporters (GLU-T)

Financial Disclosure or Funding: N/A

Conflict of Interest: The author declares that he has no competing interests.

Informed Consent: N/A

Author contributions: N/A

REFERENCES

- 1. Aktar MW, Sengupta D, Chowdhury A. Impact of pesticides use in agriculture: their benefits and hazards. InterdiscipToxicol. 2009 Mar; 2(1):1-12. doi: 10.2478/v10102-009-0001-7.
- Jayaraj R, Megha P, Sreedev P. Organochlorine pesticides, their toxic effects on living organisms and their fate in the environment. InterdiscipToxicol. 2016 Dec; 9(3-4):90-100. doi: 10.1515/intox-2016-0012.
- Rahaman MM, Islam KS, Jahan M. Rice Farmers' Knowledge of the Risks of Pesticide Use in Bangladesh. J Health Pollut. 2018 Dec 6; 8(20):181203. doi: 10.5696/2156-9614-8.20.181203. eCollection 2018 Dec. PubMed PMID: 30560002; PubMed Central PMCID: PMC6285676.
- Thielecke F, Nugent AP. Contaminants in Grain-A Major Risk for Whole Grain Safety? Nutrients. 2018 Sep 2; 10(9). pii: E1213. doi: 10.3390/nu10091213.

Review. PubMed PMID: 30200531; PubMed Central PMCID: PMC6163171.

- Shelef O, Weisberg PJ, Provenza FD. The Value of Native Plants and Local Production in an Era of Global Agriculture. Front Plant Sci. 2017 Dec 5;8: 2069. doi: 10.3389/fpls.2017.02069. eCollection 2017. Review. PubMed PMID: 29259614; PubMed Central PMCID: PMC5723411.
- Lari SZ, Khan NA, Gandhi KN, Meshram TS, Thacker NP. Comparison of pesticide residues in surface water and ground water of agriculture intensive areas. J Environ Health Sci Eng. 2014 Jan 7;12(1):11. doi: 10.1186/2052-336X-12-11. PubMed PMID: 24398360; PubMed Central PMCID: PMC3895686.
- Robson MG, DerMarderosian AH. Chapter 19. Pesticides. In: Loyd V. Allen Jr (Editor). Remington: The Science and Practice of Pharmacy (2 Volumes) 22nd Revised edition. Publisher: Pharmaceutical Press; 22nd Revised edition (September 3, 2012). ISBN: 0857110624, 978-0857110626.
- 8. Food and Agriculture Organization of the UN (FAO). Controlling pests. Available From: http://www.fao.org/3/u8480e/U8480E0j.htm
- 9. Schafer H. South Asia: A bright spot in darkening economic skies? World Bank Blog (End Poverty in South Asia), January 09, 2019.
- Micha R, Khatibzadeh S, Shi P, Andrews KG, Engell RE, Mozaffarian D; Global Burden of Diseases Nutrition and Chronic Diseases Expert Group (NutriCoDE). Global, regional and national consumption of major food groups in 1990 and 2010: a systematic analysis including 266 country-specific nutrition surveys worldwide. BMJ Open. 2015 Sep 24;5(9):e008705. doi: 10.1136/bmjopen-2015-008705. PubMed PMID: 26408285; PubMed Central PMCID: PMC4593162.
- Brownlee IA, Durukan E, Masset G, Hopkins S, Tee ES. An Overview of Whole Grain Regulations, Recommendations and Research across Southeast Asia. Nutrients. 2018 Jun 11; 10(6). pii: E752. doi: 10.3390/nu10060752. Review. PubMed PMID: 29891782; PubMed Central PMCID: PMC6024883.
- Brar PK, Danyluk MD. Nuts and Grains: Microbiology and Preharvest Contamination Risks. Microbiol Spectr. 2018 Apr;6(2). doi: 10.1128/microbiolspec.PFS-0023-2018. Review. PubMed PMID: 29701166.
- 13. Food and Agriculture Organization of the UN (FAO). Controlling pests. Available From: http://www.fao.org/3/u8480e/U8480E0j.htm
- 14. Franklin N. Mabe, Kwadwo Talabi, and Gideon Danso-Abbeam, "Awareness of Health Implications of Agrochemical Use: Effects on Maize Production in Ejura-Sekyedumase Municipality, Ghana," Advances in Agriculture, vol. 2017, Article ID 7960964, 11 pages, 2017.

https://doi.org/10.1155/2017/7960964.

- Donley N. The USA lags behind other agricultural nations in banning harmful pesticides. Environ Health. 2019 Jun 7;18(1):44. doi: 10.1186/s12940-019-0488-0. PubMed PMID: 31170989; PubMed Central PMCID: PMC6555703.
- Kumari D, John S. Health risk assessment of pesticide residues in fruits and vegetables from farms and markets of Western Indian Himalayan region. Chemosphere. 2019 Jun; 224:162-167. doi: 10.1016/j.chemosphere.2019.02.091. Epub 2019 Feb 19. PubMed PMID: 30822723.
- Bhandari G, Zomer P, Atreya K, Mol HGJ, Yang X, Geissen V. Pesticide residues in Nepalese vegetables and potential health risks. Environ Res. 2019 May; 172: 511-521. doi: 10.1016/j.envres.2019.03.002. Epub 2019 Mar 2. PubMed PMID: 30852454.
- Mohiuddin A. K. (2019). Chemical Contaminants and Pollutants in the Measurable Life of Dhaka City. European Journal of Sustainable Development Research, 3(2), em0083. https://doi.org/10.29333/ejosdr/ 5727
- Yu Y, Hu S, Yang Y, Zhao X, Xue J, Zhang J, Gao S, Yang A. Successive monitoring surveys of selected banned and restricted pesticide residues in vegetables from the northwest region of China from 2011 to 2013. BMC Public Health. 2017 Aug 2;18(1):91. doi: 10.1186/s12889-017-4632-x. Erratum in: BMC Public Health. 2017 Sep 22;17 (1):736. PubMed PMID: 28768508; PubMed Central PMCID: PMC5541726.
- 20. Shoiful A, Fujita H, Watanabe I, Honda K. Concentrations of organochlorine pesticides (OCPs) residues in foodstuffs collected from traditional markets in Indonesia. Chemosphere. 2013 Feb;90(5):1742-50. doi: 10.1016/j.chemosphere.2012.10.022. Epub 2012 Nov 22. PubMed PMID: 23177005.
- 21. Roberts JR, Karr CJ; Council On Environmental Health. Pesticide exposure in children. Pediatrics. 2012 Dec;130(6):e1765-88. doi: 10.1542/peds.2012-2758. Epub 2012 Nov 26. Erratum in: Pediatrics. 2013 May;131(5):1013-4. PubMed PMID: 23184105; PubMed Central PMCID: PMC5813803.
- National Research Council (US) Committee on Pesticides in the Diets of Infants and Children. Pesticides in the Diets of Infants and Children. Washington (DC): National Academies Press (US); 1993. 7, Estimating Exposures. Available from: https://www.ncbi.nlm.nih.gov/books/NBK236273/
- Nicolopoulou-Stamati P, Maipas S, Kotampasi C, Stamatis P, Hens L. Chemical Pesticides and Human Health: The Urgent Need for a New Concept in Agriculture. Front Public Health. 2016 Jul 18; 4:148. doi: 10.3389/fpubh.2016.00148. eCollection 2016. Review. PubMed PMID: 27486573; PubMed Central PMCID: PMC4947579.

- 24. UNISEF. Understanding the Impacts of Pesticides on Children: A discussion paper, January, 2018. Available From: https://www.unicef.org/csr/files/Understanding_the
- _impact_of_pesticides_on_children-_Jan_2018.pdf 25. Centers for Ecogenetics& Environmental Health. Fast Facts about Health Risks of Pesticides in Food. Available From: https://depts.washington.edu/ceeh/downloads/FF_P esticides.pdf
- Li Z, Jennings A. Worldwide Regulations of Standard Values of Pesticides for Human Health Risk Control: A Review. Int J Environ Res Public Health. 2017 Jul 22; 14(7). pii: E826. doi: 10.3390/ijerph14070826. Review. PubMed PMID: 28737697; PubMed Central PMCID: PMC5551264.
- Waliszewski SM, Carvajal O, Gómez-Arroyo S, Amador-Muñoz O, Villalobos-Pietrini R, Hayward-Jones PM, Valencia-Quintana R. DDT and HCH isomer levels in soils, carrot root and carrot leaf samples. Bull Environ ContamToxicol. 2008 Oct; 81(4):343-7. doi: 10.1007/s00128-008-9484-8. Epub 2008 Jul 15. PubMed PMID: 18626561.
- 28. Batterman SA, Chernyak SM, Gounden Y, Matooane M, Naidoo RN. Organochlorine pesticides in ambient air in Durban, South Africa. Sci Total Environ. 2008 Jul 1; 397(1-3):119-30. doi: 10.1016/j.scitotenv.2008.02.033. Epub 2008 Apr 8. PubMed PMID: 18396319.
- 29. Mai C, Theobald N, Hühnerfuss H, Lammel G. Persistent organochlorine pesticides and polychlorinated biphenyls in air of the North Sea region and air-sea exchange. Environ Sci Pollut Res Int. 2016 Dec;23(23):23648-23661. Epub 2016 Sep 12. PubMed PMID: 27617333; PubMed Central PMCID: PMC5110590.
- Zhang X, Zhong T, Liu L, Ouyang X. Impact of Soil Heavy Metal Pollution on Food Safety in China. PLoS One. 2015 Aug 7;10(8):e0135182. doi: 10.1371/journal.pone.0135182. eCollection 2015. PubMed PMID: 26252956; PubMed Central PMCID: PMC4529268.
- Li R, Wu H, Ding J, Fu W, Gan L, Li Y. Mercury pollution in vegetables, grains and soils from areas surrounding coal-fired power plants. Sci Rep. 2017 May 9; 7: 46545. doi: 10.1038/srep46545. PubMed PMID: 28484233; PubMed Central PMCID: PMC5422849.
- 32. Retamal-Salgado J, Hirzel J, Walter I, Matus I. Bioabsorption and Bioaccumulation of Cadmium in the Straw and Grain of Maize (Zea mays L.) in Growing Soils Contaminated with Cadmium in Different Environment. Int J Environ Res Public Health. 2017 Nov 16; 14(11). pii: E1399. doi: 10.3390/ijerph14111399. PubMed PMID: 29144431; PubMed Central PMCID: PMC5708038.

Page

- 33. Rodríguez J, Mandalunis PM. A Review of Metal Exposure and Its Effects on Bone Health. J Toxicol. 2018 Dec 23; 2018:4854152. doi: 10.1155/2018/4854152. eCollection 2018. Review. PubMed PMID: 30675155; PubMed Central PMCID: PMC6323513.
- 34. Liu Y, Xiao T, Baveye PC, Zhu J, Ning Z, Li H. Potential health risk in areas with high naturally-occurring cadmium background in southwestern China. Ecotoxicol Environ Saf. 2015 Feb; 112: 122-31. doi: 10.1016/j.ecoenv.2014.10.022. Epub 2014 Nov 14. PubMed PMID: 25463862.
- 35. Chang YF, Wen JF, Cai JF, Xiao-Ying W, Yang L, Guo YD. An investigation and pathological analysis of two fatal cases of cadmium poisoning. Forensic Sci Int. 2012 Jul 10; 220(1-3):e5-8. doi: 10.1016/j.forsciint.2012.01.032. Epub 2012 Feb 19. PubMed PMID: 22349354.
- 36. Jaishankar M, Tseten T, Anbalagan N, Mathew BB, Beeregowda KN. Toxicity, mechanism and health effects of some heavy metals. InterdiscipToxicol. 2014 Jun;7(2):60-72. doi: 10.2478/intox-2014-0009. Epub 2014 Nov 15. Review. PubMed PMID: 26109881; PubMed Central PMCID: PMC4427717.
- Jan AT, Azam M, Siddiqui K, Ali A, Choi I, Haq QM. Heavy Metals and Human Health: Mechanistic Insight into Toxicity and Counter Defense System of Antioxidants. Int J Mol Sci. 2015 Dec 10;16(12):29592-630. doi: 10.3390/ijms161226183. Review. PubMed PMID: 26690422; PubMed Central PMCID: PMC4691126.
- Sodango TH, Li X, Sha J, Bao Z. Review of the Spatial Distribution, Source and Extent of Heavy Metal Pollution of Soil in China: Impacts and Mitigation Approaches. J Health Pollut. 2018 Mar 12;8(17):53-70. doi: 10.5696/2156-9614-8.17.53. eCollection 2018 Mar. Review. PubMed PMID: 30524849; PubMed Central PMCID: PMC6221442.
- McCarty KM, Hanh HT, Kim KW. Arsenic geochemistry and human health in South East Asia. Rev Environ Health. 2011;26(1):71-8. PubMed PMID: 21714384; PubMed Central PMCID: PMC3128386.
- 40. Kominko H, Gorazda K, Wzorek Z. Potentiality of sewage sludge-based organo-mineral fertilizer production in Poland considering nutrient value, heavy metal content and phytotoxicity for rapeseed crops. J Environ Manage. 2019 Jul 22; 248:109283. doi: 10.1016/j.jenvman.2019.109283. [Epub ahead of print] PubMed PMID: 31344561.
- 41. Pajewska-Szmyt M, Sinkiewicz-Darol E, Gadzała-Kopciuch R. The impact of environmental pollution on the quality of mother's milk. Environ Sci Pollut Res Int. 2019 Mar; 26(8):7405-7427. doi: 10.1007/s11356-019-04141-1. Epub 2019 Jan 28. PubMed PMID: 30687894; PubMed Central PMCID: PMC6447517.

- 42. Stadlinger N, Berg H, Van den Brink PJ, Tam NT, Gunnarsson JS. Comparison of predicted aquatic risks of pesticides used under different rice-farming strategies in the Mekong Delta, Vietnam. Environ Sci Pollut Res Int. 2018 May;25(14):13322-13334. doi: 10.1007/s11356-016-7991-4. Epub 2016 Nov 16. PubMed PMID: 27854060; PubMed Central PMCID: PMC5978820.
- 43. Lam S, Pham G, Nguyen-Viet H. Emerging health risks from agricultural intensification in Southeast Asia: a systematic review. Int J Occup Environ Health. 2017 Jul;23(3):250-260. doi: 10.1080/10773525.2018.1450923. Epub 2018 Mar 21. Review. PubMed PMID: 29560804; PubMed Central PMCID: PMC6060873.
- 44. Apeh CC. Farmers' Perception of the Health Effects of Agrochemicals in Southeast Nigeria. J Health Pollut.
 2018 Aug 20; 8(19):180901. doi: 10.5696/2156-9614-8.19.180901. eCollection 2018 Sep. PubMed PMID: 30524860; PubMed Central PMCID: PMC6257167.
- Banerjee I, Tripathi SK, Roy AS, Sengupta P. Pesticide use pattern among farmers in a rural district of West Bengal, India. J Nat Sci Biol Med. 2014 Jul;5(2):313-6. doi: 10.4103/0976-9668.136173. PubMed PMID: 25097405; PubMed Central PMCID: PMC4121905.
- 46. Memon QUA, Wagan SA, Chunyu D, Shuangxi X, Jingdong L, Damalas CA. Health problems from pesticide exposure and personal protective measures among women cotton workers in southern Pakistan. Sci Total Environ. 2019 Oct 1; 685: 659-666. doi: 10.1016/j.scitotenv.2019.05.173. Epub 2019 May 15. PubMed PMID: 31200258.
- Lamichhane R, Lama N, Subedi S, Singh SB, Sah RB, Yadav BK. Use of Pesticides and Health Risk among Farmers in Sunsari District, Nepal. J Nepal Health Res Counc. 2019 Apr 28; 17(1):66-70. doi: 10.33314/jnhrc.1204. PubMed PMID: 31110379.
- Wang N, Wang B, Wen J, Li X, Pan L, Zhang J, Zhu B. Types of Exposure Pesticide Poisoning in Jiangsu Province, China; The Epidemiologic Trend between 2006 and 2018. Int J Environ Res Public Health. 2019 Jul 19; 16(14). pii: E2586. doi: 10.3390/ijerph16142586. PubMed PMID: 31331061; PubMed Central PMCID: PMC6679074.
- Jin J, Wang W, He R, Gong H. Pesticide Use and Risk Perceptions among Small-Scale Farmers in Anqiu County, China. Int J Environ Res Public Health. 2016 Dec 30; 14(1). pii: E29. doi: 10.3390/ijerph14010029. PubMed PMID: 28042850; PubMed Central PMCID: PMC5295280.
- 50. Eddleston M, Phillips MR. Self poisoning with pesticides. BMJ. 2004 Jan 3; 328(7430):42-4. Review. PubMed PMID: 14703547; PubMed Central PMCID: MC313909.

- Chitra GA, Muraleedharan VR, Swaminathan T, Veeraraghavan D. Use of pesticides and its impact on health of farmers in South India. Int J Occup Environ Health. 2006 Jul-Sep;12(3):228-33. PubMed PMID: 16967829.
- 52. Satya Sai MV, Revati GD, Ramya R, Swaroop AM, Maheswari E, Kumar MM. Knowledge and Perception of Farmers Regarding Pesticide Usage in a Rural Farming Village, Southern India. Indian J Occup Environ Med. 2019 Jan-Apr; 23(1):32-36. doi: 10.4103/ijoem.IJOEM_121_18. PubMed PMID: 31040587; PubMed Central PMCID: PMC6477948.
- 53. Chakraborty S, Mukherjee S, Roychoudhury S, Siddique S, Lahiri T, Ray MR. Chronic exposures to cholinesterase-inhibiting pesticides adversely affect respiratory health of agricultural workers in India. J Occup Health. 2009; 51(6):488-97. Epub 2009 Oct 23. PubMed PMID: 19851039.
- 54. Dasgupta S, Meisner C, Mamingi N. Pesticide Traders' Perception of Health Risks: Evidence from Bangladesh. World Bank Policy Research Working Paper 3777. Washington DC: World Bank; 2005.
- 55. Sivayoganathan C, Gnanachandran S, Lewis J, Fernando M. Protective measure use and symptoms among agropesticide applicators in Sri Lanka. Soc Sci Med. 1995 Feb; 40(4):431-6. PubMed PMID: 7725116.
- 56. Lwin T.Z., Min A.Z., Robson M.G., Siriwong W. Awareness of safety measures on pesticide use among farm workers in selected villages of Aunglan Township, Magway Division, Myanmar. J. Health Res. 2017; 31: 403–409.
- 57. Lu JL. Assessment of Pesticide-Related Pollution and Occupational Health of Vegetable Farmers in Benguet Province, Philippines. J Health Pollut. 2017 Dec 18;7(16):49-57. doi: 10.5696/2156-9614-7.16.49. eCollection 2017 Dec. PubMed PMID: 30524840; PubMed Central PMCID: PMC6221443.
- Rather IA, Koh WY, Paek WK, Lim J. The Sources of Chemical Contaminants in Food and Their Health Implications. Front Pharmacol. 2017 Nov 17; 8:830. doi: 10.3389/fphar.2017.00830. eCollection 2017. Review. PubMed PMID: 29204118; PubMed Central PMCID: PMC5699236.
- 59. Guo G, Jiang N, Liu F, Bian Y. Storage stability of organophosphorus pesticide residues in peanut and soya bean extracted solutions. R Soc Open Sci. 2018 Jul 25;5(7):180757. doi: 10.1098/rsos.180757. eCollection 2018 Jul. PubMed PMID: 30109115; PubMed Central PMCID: PMC6083714.
- Bian Y, Liu F, Chen F, Sun P. Storage stability of three organophosphorus pesticides on cucumber samples for analysis. Food Chem. 2018 Jun 1; 250: 230-235. doi: 10.1016/j.foodchem.2018.01.008. Epub 2018 Jan 2. PubMed PMID: 29412916.

- 61. Thapa K, Pant BR. Pesticides in vegetable and food commodities: environment and public health concern. J Nepal Health Res Counc. 2014 Sep-Oct; 12(28):208-10. PubMed PMID: 26032063.
- 62. Chekol FA, Melak MF, Belew AK, Zeleke EG. Food handling practice and associated factors among food handlers in public food establishments, Northwest Ethiopia. BMC Res Notes. 2019 Jan 14;12(1):20. doi: 10.1186/s13104-019-4047-0. PubMed PMID: 30642374; PubMed Central PMCID: PMC6332519.
- 63. Tegegne HA, Phyo HWW. Food safety knowledge, attitude and practices of meat handler in abattoir and retail meat shops of Jigjiga Town, Ethiopia. J Prev Med Hyg. 2017 Dec 30;58(4):E320-E327. doi: 10.15167/2421-4248/jpmh2017.58.4.737. eCollection 2017 Dec. PubMed PMID: 29707664; PubMed Central PMCID: PMC5912786.
- 64. Hassan FI, Niaz K, Khan F, Maqbool F, Abdollahi M. The relation between rice consumption, arsenic contamination, and prevalence of diabetes in South Asia. EXCLI J. 2017 Oct 9;16: 1132-1143. doi: 10.17179/excli2017-222. eCollection 2017. Review. PubMed PMID: 29285009; PubMed Central PMCID: PMC5735331.
- 65. Sabir S, Akash MSH, Fiayyaz F, Saleem U, Mehmood MH, Rehman K. Role of cadmium and arsenic as endocrine disruptors in the metabolism of carbohydrates: Inserting the association into perspectives. Biomed Pharmacother. 2019 Jun;114: 108802. doi: 10.1016/j.biopha.2019.108802. Epub 2019 Mar 25. Review. PubMed PMID: 30921704.
- 66. Kumar D, Kalita P. Reducing Postharvest Losses during Storage of Grain Crops to Strengthen Food Security in Developing Countries. Foods. 2017 Jan 15; 6(1). pii: E8. doi: 10.3390/foods6010008. Review. PubMed PMID: 28231087; PubMed Central PMCID: PMC5296677.
- 67. Khaled MS. Food systems at a crossroads in South Asia. The Financial Express, May 15, 2018.
- Bargaz A, Lyamlouli K, Chtouki M, Zeroual Y, Dhiba D. Soil Microbial Resources for Improving Fertilizers Efficiency in an Integrated Plant Nutrient Management System. Front Microbiol. 2018 Jul 31;9: 1606. doi: 10.3389/fmicb.2018.01606. eCollection 2018. Review. PubMed PMID: 30108553; PubMed Central PMCID: PMC6079243.
- Matsukawa M, Ito K, Kawakita K, Tanaka T. Current status of insecticide susceptibility in the brown planthopper in Cambodia. J Pestic Sci. 2017 May 20;42(2):45-51. doi: 10.1584/jpestics.D16-101. PubMed PMID: 30363115; PubMed Central PMCID: PMC6140666.
- 70. Matsukawa-Nakata M, Huy Chung N, Kobori Y.
 Insecticide application and its effect on the density of rice planthoppers, Nilaparvatalugens and Sogatellafurcifera, in paddy fields in the Red River

Delta, Vietnam. J Pestic Sci. 2019 May 20; 44(2):129-135. doi: 10.1584/jpestics.D18-080. PubMed PMID: 31148939; PubMed Central PMCID: PMC6529747.

- 71. Heong, K. L., Wong, L., Hasmin, J. & Reyes, D. L. Addressing Planthopper Threats to Asian Rice Farming and Food Security: Fixing Insecticide Misuse. Asian Development Bank, 6 ADB Avenue, Mandaluyong City 1550 Metro Manila, Philippines (2013).
- 72. Bottrell DG, Schoenly KG. Resurrecting the ghost of green revolutions past: the brown planthopper as a recurring threat to high-yielding rice production in tropical Asia. J. Asia-Pacific Entom. 2012; 15(1):122–140. doi: 10.1016/j.aspen.2011.09.004.
- 73. Khoa DB, Thang BX, Liem NV, Holst N, Kristensen M. Variation in susceptibility of eight insecticides in the brown planthopper Nilaparvatalugens in three regions of Vietnam 2015-2017. PLoS One. 2018 Oct 5; 13(10):e0204962. doi: 10.1371/journal.pone.0204962. eCollection 2018. PubMed PMID: 30289955; PubMed Central PMCID: PMC6173402.
- 74. Bhat JA, Shivaraj SM, Singh P, Navadagi DB, Tripathi DK, Dash PK, SolankeAU, Sonah H, Deshmukh R. Role of Silicon in Mitigation of Heavy Metal Stresses in Crop Plants. Plants (Basel). 2019 Mar 21; 8(3). pii: E71. doi: 10.3390/plants8030071. Review. PubMed PMID: 30901942; PubMed Central PMCID: PMC6473438.
- 75. Farooq MU, Tang Z, Zheng T, Asghar MA, Zeng R, Su Y, Ei HH, Liang Y, Zhang Y, Ye X, Jia X, Zhu J. Cross-Talk between Cadmium and Selenium at Elevated Cadmium Stress Determines the Fate of Selenium Uptake in Rice. Biomolecules. 2019 Jun 24; 9(6). pii: E247. doi: 10.3390/biom9060247. PubMed PMID: 31238551; PubMed Central PMCID: PMC6627080.
- 76. Khanna K, Jamwal VL, Gandhi SG, Ohri P, Bhardwaj R. Metal resistant PGPR lowered Cd uptake and expression of metal transporter genes with improved growth and photosynthetic pigments in Lycopersiconesculentum under metal toxicity. Sci Rep. 2019 Apr 10; 9(1):5855. doi: 10.1038/s41598-019-41899-3. PubMed PMID: 30971817; PubMed Central PMCID: PMC6458120.
- 77. Gupta DK, Chatterjee S, Datta S, Veer V, Walther C. Role of phosphate fertilizers in heavy metal uptake and detoxification of toxic metals. Chemosphere. 2014 Aug; 108: 134-44. doi: 10.1016/j.chemosphere.2014.01.030. Epub 2014 Feb 18. Review. PubMed PMID: 24560283.
- Damalas CA, Koutroubas SD. Farmers' Training on Pesticide Use Is Associated with Elevated Safety Behavior. Toxics. 2017 Aug 22;5(3). pii: E19. doi: 10.3390/toxics5030019. PubMed PMID: 29051451; PubMed Central PMCID: PMC5634698.

- 79. Serrano-Medina A, Ugalde-Lizárraga A, Bojorquez-Cuevas MS, Garnica-Ruiz J, González-Corral MA, García-Ledezma A, Pineda-García G, Cornejo-Bravo JM. Neuropsychiatric Disorders in Farmers Associated with Organophosphorus Pesticide Exposure in a Rural Village of Northwest México. Int J Environ Res Public Health. 2019 Feb 26; 16(5). pii: E689. doi: 10.3390/ijerph16050689. PubMed PMID: 30813607; PubMed Central PMCID: PMC6427808.
- Chowdhury FR, Dewan G, Verma VR, Knipe DW, Isha IT, Faiz MA, Gunnell DJ, Eddleston M. Bans of WHO Class I Pesticides in Bangladesh-suicide prevention without hampering agricultural output. Int J Epidemiol. 2018 Feb 1; 47(1):175-184. doi: 10.1093/ije/dyx157. PubMed PMID: 29024951; PubMed Central PMCID: PMC5837375.
- Lu JL, Cosca KZ, Del Mundo J. Trends of pesticide exposure and related cases in the Philippines. J Rural Med. 2010;5(2):153-64. doi: 10.2185/jrm.5.153. Review. PubMed PMID: 25649374; PubMed Central PMCID: PMC4309360.
- 82. Kannan K, Tanabe S, Giesy JP, Tatsukawa R. Organochlorine pesticides and polychlorinated biphenyls in foodstuffs from Asian and oceanic countries. Rev Environ ContamToxicol. 1997;152:1-55. Review. PubMed PMID: 9297984.
- 83. Lammel G, Spitzy A, Audy O, Beckmann S, Codling GP, Kretzschmann L, Kukučka P, Stemmler I. Organochlorine pesticides and polychlorinated biphenyls along an east-to-west gradient in subtropical North Atlantic surface water. Environ Sci Pollut Res Int. 2017 Apr; 24(12):11045-11052. doi: 10.1007/s11356-016-7429-z. Epub 2016 Aug 18. PubMed PMID: 27539468; PubMed Central PMCID: PMC5393290.
- 84. van den Berg H, Zaim M, Yadav RS, Soares A, Ameneshewa B, Mnzava A, Hii J, Dash AP, Ejov M. Global trends in the use of insecticides to control vector-borne diseases. Environ Health Perspect. 2012 Apr;120(4):577-82. doi: 10.1289/ehp.1104340. Epub 2012 Jan 17. PubMed PMID: 22251458; PubMed Central PMCID: PMC3339467.
- 85. Takazawa Y, Takasuga T, Doi K, Saito M, Shibata Y. Recent decline of DDTs among several organochlorine pesticides in background air in East Asia. Environ Pollut. 2016 Oct; 217:134-42. doi: 10.1016/j.envpol.2016.02.019. Epub 2016 Feb 16. PubMed PMID: 26896161.
- 86. Ali U, Syed JH, Malik RN, Katsoyiannis A, Li J, Zhang G, Jones KC. Organochlorine pesticides (OCPs) in South Asian region: a review. Sci Total Environ. 2014 Apr 1; 476-477:705-17. doi: 10.1016/j.scitotenv.2013.12.107. Epub 2014 Feb 9. Review. PubMed PMID: 24522007.
- 87. JECFA. 2009. Evaluations of the Joint FAO/WHO Expert Committee on Food Additives.

- Chekol FA, Melak MF, Belew AK, Zeleke EG. Food handling practice and associated factors among food handlers in public food establishments, Northwest Ethiopia. BMC Res Notes. 2019 Jan 14;12(1):20. doi: 10.1186/s13104-019-4047-0. PubMed PMID: 30642374; PubMed Central PMCID: PMC6332519.
- 89. Tegegne HA, Phyo HWW. Food safety knowledge, attitude and practices of meat handler in abattoir and retail meat shops of Jigjiga Town, Ethiopia. J Prev Med Hyg. 2017 Dec 30;58(4):E320-E327. doi: 10.15167/2421-4248/jpmh2017.58.4.737. eCollection 2017 Dec. PubMed PMID: 29707664; PubMed Central PMCID: PMC5912786.
- 90. Fargnoli M, Lombardi M, Puri D, Casorri L, Masciarelli E, Mandić-Rajčević S, Colosio C. The Safe Use of Pesticides: A Risk Assessment Procedure for the Enhancement of Occupational Health and Safety (OHS) Management. Int J Environ Res Public Health. 2019 Jan 23;16(3). pii: E310. doi: 10.3390/ijerph16030310. PubMed PMID: 30678137; PubMed Central PMCID: PMC6388156.
- 91. Rastogi A, Tripathi DK, Yadav S, Chauhan DK, Živčák M, Ghorbanpour M, El-Sheery NI, Brestic M. Application of silicon nanoparticles in agriculture. 3 Biotech. 2019 Mar;9(3):90. doi: 10.1007/s13205-019-1626-7. Epub 2019 Feb 18. Review. PubMed PMID: 30800601; PubMed Central PMCID: PMC6385075.
- 92. Quiterio-Gutiérrez T, Ortega-Ortiz H, Cadenas-Pliego G, Hernández-Fuentes AD, Sandoval-Rangel A, Benavides-Mendoza A, Cabrera-de la Fuente M, Juárez-Maldonado A. The Application of Selenium and Copper Nanoparticles Modifies the Biochemical Responses of Tomato Plants under Stress by Alternaria solani. Int J Mol Sci. 2019 Apr 20; 20(8). pii: E1950. doi: 10.3390/ijms20081950. PubMed PMID: 31010052; PubMed Central PMCID: PMC6514801.
- 93. Horky P, Skalickova S, Baholet D, Skladanka J. Nanoparticles as a Solution for Eliminating the Risk of Mycotoxins. Nanomaterials (Basel). 2018 Sep 14;8(9). pii: E727. doi: 10.3390/nano8090727. Review. PubMed PMID: 30223519; PubMed Central PMCID: PMC6164963.
- 94. C A, K Handral H, Kelmani R C. A Comparative In Vivo Scrutiny of Biosynthesized Copper and Zinc Oxide Nanoparticles by Intraperitoneal and Intravenous Administration Routes in Rats. Nanoscale Res Lett. 2018 Apr 3; 13(1):93. doi: 10.1186/s11671-018-2497-2. PubMed PMID: 29616363; PubMed Central PMCID: PMC5882480.

- 95. Alghuthaymi MA, Almoammar H, Rai M, Said-Galiev E, Abd-Elsalam KA. Myconanoparticles: synthesis and their role in phytopathogens management. BiotechnolBiotechnol Equip. 2015 Mar 4; 29(2):221-236. Epub 2015 Mar 9. PubMed PMID: 26019636; PubMed Central PMCID: PMC4433920.
- 96. Shah M, Fawcett D, Sharma S, Tripathy SK, Poinern GEJ. Green Synthesis of Metallic Nanoparticles via Biological Entities. Materials (Basel). 2015 Oct 29;8(11):7278-7308. doi: 10.3390/ma8115377. Review. PubMed PMID: 28793638; PubMed Central PMCID: PMC5458933.
- 97. Nandini B, Hariprasad P, Prakash HS, Shetty HS, Geetha N. Trichogenic-selenium nanoparticles enhance disease suppressive ability of Trichoderma against downy mildew disease caused by Sclerosporagraminicola in pearl millet. Sci Rep. 2017 Jun 1;7(1):2612. doi: 10.1038/s41598-017-02737-6. PubMed PMID: 28572579; PubMed Central PMCID: PMC5453930.
- 98. Pradhan N, Singh S, Ojha N, Shrivastava A, Barla A, Rai V, Bose S. Facets of Nanotechnology as Seen in Food Processing, Packaging, and Preservation Industry. Biomed Res Int. 2015; 2015:365672. doi: 10.1155/2015/365672. Epub 2015 Nov 3. Review. PubMed PMID: 26613082; PubMed Central PMCID: PMC4646997.
- 99. Bajwa U, Sandhu KS. Effect of handling and processing on pesticide residues in food- a review. J Food Sci Technol. 2014 Feb;51(2):201-20. doi: 10.1007/s13197-011-0499-5. Epub 2011 Aug 26. Review. PubMed PMID: 24493878; PubMed Central PMCID: PMC3907644.
- 100. Kaushik G. Effect of processing on mycotoxin content in grains. Crit Rev Food Sci Nutr. 2015; 55(12):1672-83. doi: 10.1080/10408398.2012.701254. Review. PubMed PMID: 24915313.
- 101. Gray PJ, Conklin SD, Todorov TI, Kasko SM. Cooking rice in excess water reduces both arsenic and enriched vitamins in the cooked grain. Food AdditContam Part A Chem Anal Control Expo Risk Assess. 2016; 33(1):78-85. doi: 10.1080/19440049.2015.1103906. Epub 2015 Nov 2. PubMed PMID: 26515534.