



ISSUES BEHIND CHOOSING ALTERNATIVE MEASURES TO CANCER CARE & CURE

Abdul Kader Mohiuddin

Treasurer, Dr. M. Nasirullah Memorial Trust, Tejgaon, Dhaka, Bangladesh

Mini Review Article History**Received:** 17th September, 2019**Accepted:** 27th October, 2019**Corresponding Author:**† **Abdul Kader Mohiuddin**

Treasurer, Dr. M. Nasirullah Memorial Trust, Tejgaon, Dhaka, Bangladesh

E-mail: : trymohi@gmail.com ;**Contact:** +8802-9110553Orcid Id: <https://orcid.org/0000-0003-1596-9757>

Web of Science Researcher ID: T-5428-2019

© www.albertscience.com, All Right Reserved.

Regardless of extraordinary development, regular therapy misses the mark in cancer the board. There are two noteworthy obstacles in anticancer drug development: dose-limiting poisonous symptoms that diminish either drug viability or the QoL of patients and convoluted drug development forms that are exorbitant and tedious. Cancer patients are progressively searching out alternative medicine and may be hesitant to uncover its utilization to their oncology treatment doctors. Be that as it may, there is constrained accessible data on examples of use and viability of alternative medicine for patients with cancer. The cost of delivering cancer treatment is estimated to rise globally with a projected total spending of \$458 billion by 2030 [1]. However, the financial burden stems from employment loss, cost of care even when patients don't require chemotherapy, out of pocket costs' opportunity costs of informal care time and can continue long after the death of the patient. As adjuvant therapy, numerous conventional medicines demonstrated adequacy against mind, head and neck, skin, bosom, liver, pancreas, kidney, bladder, prostate, colon and blood cancers. Chemotherapy and radiotherapy are still generally customary methodologies for treatment of patients harboring propelled cancer. Customary chemotherapy likewise connected with neuropathic pain, fatigue and sleep aggravation, anxiety and depression, mouth sores, nausea and vomiting, early satiety, alopecia, bone and muscle squandering. Worldwide, some 60%-80% people depend on alternative medicines, which is also true for nearly 40% to 70% European, 50% Italian, 40% Korean,

30% British and up to 87% of Australian cancer patients [2]. Use of unapproved/unlabeled/wrong herbal treatment is not uncommon and also drug interactions reported phyto-therapeutics in oncology. Futile medicine use reported in one-fifth of terminally ill cancer patients (statins and antidementia drugs in nearly 100% cases, antihypertensives and bisphosphonates in nearly 30% cases) [3,4]. So, Proper and up-to-date knowledge is necessary in using alternative treatment options as patients who received alternative medicines had a 2.5 greater risk of dying compared to those who received conventional cancer treatment [5]. The objective of cancer palliative consideration is to forestall or treat, the manifestations and reactions of the cancer type and its treatment, providing care to any related physical, enthusiastic, social, and otherworldly angles. Pain influences more than 70% cancer patients, distressing or unbearable in more than one-third of patients and incessant pain is related with essential cancer itself or metastases or its treatment (interminable post-cancer treatment pain) [6,7]. In spite of the fact that, WHO depicted narcotics as fundamental medicines for pain control however appropriation demonstrates significant disparity, an under 10% of the total populace expending over 90% of the world's supply (80% consumed by US alone) [8,9]. A pan-European survey about chronic pain management revealed that 84% of pcps perceived their training in pain management to be inadequate. Along with these, dread of reliance, remedy redirection, administrative examination, withdrawal side effects, narcotic related antagonistic occasions and death limit

its utilization. There is an absence of superb proof with respect to the pain-relieving viability of NSAIDs in cancer; logical inconsistency and conflicting discoveries additionally revealed, despite the fact that pushed as a valuable aide for the board of cancer pain. Likewise, long-term utilization of NSAIDs is regularly associated with cardiovascular, gastrointestinal, renal, and other side effects [10]. Some different investigations likewise uncover relationship of NSAIDs with certain cancer types. A few investigations bolster utilization of cannabis/weed in cancer pain the executives. Its social agreeableness is step by step expanding far and wide, yet numerous examinations contradict its utilization or if nothing else demand further examination of advantage chance proportion. Some alternative treatments, similar to needle therapy, physical therapy, aromatherapy, CBT are generally suggested along with mind-body mediations like yoga, jujitsu, reflection and mindfulness that keep individuals fit and vigorous as they experience treatment. 33% cancer patients utilize alternative medicine in US—are not all around controlled and may cooperate with regular medications like chemotherapy and radiation [11]. Mind-body mediations were each utilized by fewer than 10% of patients, can keep individuals fit and vivacious as they experience treatment, decrease the symptoms of conventional treatments and improve patients' sleep, stress and emotional wellness. Numerous clinics even have alternative medicine centers that offer these projects.

REFERENCES

- Ghose S, Radhakrishnan V, Bhattacharya S. Ethics of cancer care: beyond biology and medicine. *Ecancermedicalscience*. 2019 Mar 28; 13:911. doi: 10.3332/ecancer.2019.911.
- Buckner CA, Lafrenie RM, Dénoimée JA, Caswell JM, Want DA. Complementary and alternative medicine use in patients before and after a cancer diagnosis. *Curr Oncol*. 2018 Aug; 25(4):e275-e281. doi: 10.3747/co.25.3884.
- Oliveira L, Ferreira MO, Rola A, Magalhães M, Ferraz Gonçalves J. Deprescription in Advanced Cancer Patients Referred to Palliative Care. *J Pain Palliat Care Pharmacother*. 2016 Sep; 30(3):201-5. doi: 10.1080/15360288.2016.1204411.
- Gonçalves F. Deprescription in Advanced Cancer Patients. *Pharmacy (Basel)*. 2018 Aug 21; 6(3). pii: E88. doi: 10.3390/pharmacy6030088.
- Johnson SB, Park HS, Gross CP, Yu JB. Use of Alternative Medicine for Cancer and Its Impact on Survival. *J Natl Cancer Inst*. 2018 Jan 1; 110(1). doi: 10.1093/jnci/djx145.
- Fallon M, Giusti R, Aielli F, Hoskin P, Rolke R, Sharma M, Ripamonti CI; ESMO Guidelines Committee. Management of cancer pain in adult patients: ESMO Clinical Practice Guidelines. *Ann Oncol*. 2018 Oct 1; 29(Suppl 4):iv166-iv191. doi: 10.1093/annonc/mdy152.
- Singh P, Chaturvedi A. Complementary and alternative medicine in cancer pain management: a systematic review. *Indian J Palliat Care*. 2015 Jan-Apr; 21(1):105-15. doi: 10.4103/0973-1075.150202.
- Bhadelia A, De Lima L, Arreola-Ornelas H, Kwete XJ, Rodriguez NM, Knaul FM. Solving the Global Crisis in Access to Pain Relief: Lessons From Country Actions. *Am J Public Health*. 2018 Nov 29:e1-e3. doi: 10.2105/AJPH.2018.304769.
- Rose ME. Are Prescription Opioids Driving the Opioid Crisis? Assumptions vs Facts. *Pain Med*. 2018 Apr 1; 19(4):793-807. doi: 10.1093/pm/pnx048.
- Wong RSY. Role of Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) in Cancer Prevention and Cancer Promotion. *Adv Pharmacol Sci*. 2019 Jan 31; 2019:3418975. doi: 10.1155/2019/3418975.
- Sanford NN, Sher DJ, Ahn C, Aizer AA, Mahal BA. Prevalence and Nondisclosure of Complementary and Alternative Medicine Use in Patients With Cancer and Cancer Survivors in the United States. *JAMA Oncol*. 2019 May 1; 5(5):735-737. doi: 10.1001/jamaoncol.2019.0349.